ELSEVIER

Forest Ecology and Management 177 (2003) 601–603

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 177

VOLUME 177, ISSUES 1–3 **7 APRIL 2003**

Effects of site quality and season of clearcutting on upland hardwood forest composition 38 years after harvest
R.A. Williams and R.B. Heiligmann (Columbus, OH, USA) 1
Influence of plant cover on germination in matorral in northeastern Mexico
J.F. García and E. Jurado (Linares, Mexico) 11
Variation in environmental conditions, understorey species number, abundance and composition among natural and managed *Picea abies* forest stands
T. Økland, K. Rydgren (Ås, Norway), R.H. Økland (Ås, Norway and Oslo, Norway), K.O. Storaunet and J. Rolstad (Ås, Norway) 17
Response of plant communities to fire in an *Acacia* woodland and a dry Afromontane forest, southern Ethiopia
I. Eriksson (Umeå, Sweden), D. Teketay (Addis Abeba, Ethiopia) and A. Granström (Umeå, Sweden) 39
Frequency responses of radial growth series after different thinning intensities in Norway spruce (*Picea abies* (L.) Karst.) stands
L. Misson (Aix-en-Provence, France), C. Vincke and F. Devillez (Louvain-la-Neuve, Belgium) 51
Survival, growth, and growth allocation of planted Scots pine trees after different levels of biomass removal in clear-felling
G. Egnell and E. Valinger (Umeå, Sweden) 65
Response of blackwood (*Acacia melanoxylon*) regeneration to silvicultural removal of competition in regrowth eucalypt forests of north-west Tasmania, Australia
S.M. Jennings, G.R. Wilkinson (Hobart, Australia) and G.L. Unwin (Launceston, Australia) 75
Restoration cutting as a management tool for regenerating *Pinus banksiana* after ice storm damage
T.E. Yorks (Syracuse, NY, USA) and K.B. Adams (Plattsburgh, NY, USA) 85
Effects of nutrient and paper mill biosolids amendments on the growth and nutrient status of hardwood forests
D.C. Feldkirchner, C. Wang, S.T. Gower, E.L. Kruger (Madison, WI, USA), and J. Ferris (Norway, MI, USA) 95
Salamander diversity and abundance in forests with alternative land use histories in the Southern Blue Ridge Mountains
N.G. Hicks (Athens, GA, USA) and S.M. Pearson (Mars Hill, NC, USA) 117
Subtropical dendroecology—dating disturbances and forest dynamics in northwestern Argentina montane ecosystems
H.R. Grau, T.A. Easdale and L. Paolini (Tucuman, Argentina) 131
Spatial analysis of forest gaps resulting from bark beetle colonization of red pines experiencing belowground herbivory and infection
N. Erbilgin and K.F. Raffa (Madison, WI, USA) 145
Base cation and nitrogen budgets for seven forested catchments in central Ontario, 1983–1999
S.A. Watmough and P.J. Dillon (Peterborough, Canada) 155
Vegetation and soil differences in ancient opposed to new forests
B.J. Graae, P.B. Sunde (Copenhagen, Denmark) and B. Fritzbøger (Frederiksberg, Denmark) 179
Estimations of amounts of soil organic carbon and fine root carbon in land use and land cover classes, and soil types of Chiapas highlands, Mexico
J. Mendoza-Vega, E. Karltun and M. Olsson (Uppsala, Sweden) 191
The flora and carabid beetle fauna of a mature and regenerating semi-natural oak woodland in south-east Ireland
A. Poole, M. Gormally and M. Sheehy Skeffington (Galway, Ireland) 207
The severity of *Sirococcus* shoot blight in mature Norway spruce stands with regard to tree nutrition, topography and stand age
H. Anglberger and E. Halmschlager (Vienna, Austria) 221

PII: S0378-1127(03)00081-1

Population dynamics of *Garcinia lucida* (Clusiaceae) in Cameroonian Atlantic forests
N.M. Guedje (Brussels, Belgium and Yaoundé, Cameroon), J. Lejoly (Brussels, Belgium), B.-A. Nkongmeneck (Yaoundé, Cameroon) and W.B.J. Jonkers (Wageningen, The Netherlands) 231
Role of wood in pumice-bed streams. I: Impacts of post-harvest management on water quality, habitat and benthic invertebrates
K.J. Collier (Hamilton, New Zealand) and E.J. Bowman (Rotorua, New Zealand) 243
Role of wood in pumice-bed streams. II: Breakdown and colonisation
K.J. Collier and B.J. Smith (Hamilton, New Zealand) 261
Imputing tree-lists from aerial attributes for complex stands of south-eastern British Columbia
B.H. Temesgen, V.M. LeMay, K.L. Froese and P.L. Marshall (Vancouver, Canada) 277
Financial analysis of sustained forest management for timber. Perspectives for application of the CELOS management system in Brazilian Amazonia
N.R. De Graaf, A.M. Filius (Wageningen, The Netherlands) and A.R. Huesca Santos (Alicante, Spain) 287
Differences in responses to α-pinene and ethanol, and flight periods between the bark beetle predators *Thanasimus femoralis* and *T. formicarius* (Col.: Cleridae)
L.M. Schroeder (Uppsala, Sweden) 301
Carbon storage along a stand development sequence in a New Zealand *Nothofagus* forest
M.R. Davis (Christchurch, New Zealand), R.B. Allen (Lincoln, New Zealand) and P.W. Clinton (Christchurch, New Zealand) . . 313
Bark stripping preference of sika deer, *Cervus nippon*, in terms of bark chemical contents
M. Ando, H.-O. Yokota and E. Shibata (Nagoya, Japan) 323
Performance of 31 tree species and soil conditions in a plantation established with saline irrigation
O.S. Tomar, P.S. Minhas, V.K. Sharma, Y.P. Singh and R.K. Gupta (Karnal, India) 333
Improving hardwood afforestation success: an analysis of the effects of soil properties in southwestern Quebec
A. Cogliastro, D. Gagnon, S. Daigle and A. Bouchard (Montreal, Canada) 347
Comparative growing space efficiency of four tree species in mixed conifer–hardwood forests
C.R. Webster and C.G. Lorimer (Madison, WI, USA) 361
Estimation of crown characters and leaf biomass from leaf litter in a Malaysian canopy species, *Elateriospermum tapos* (Euphorbiaceae)
N. Osada, H. Takeda (Kyoto, Japan), H. Kawaguchi (Matsue, Japan), A. Furukawa (Tsukuba, Japan) and M. Awang (Serdang, Malaysia) 379
Biomass and morphology of *Pinus radiata* coarse root components in a sub-humid temperate silvopastoral system
M.K. Gautam (Canberra, Australia), D.J. Mead (Golden Bay, New Zealand), P.W. Clinton (Christchurch, New Zealand) and S.X. Chang (Edmonton, Canada) 387
Root distribution of *Eucalyptus nitens* and *E. globulus* in irrigated and droughted soil
M.T. Moroni, D. Worledge and C.L. Beadle (Tasmania, Australia) 399
Influence of topographic aspect, precipitation and drought on radial growth of four major tree species in an Appalachian watershed
D. Fekedulegn, R.R. Hicks Jr. and J.J. Colbert (Morgantown, WV, USA) 409
Growth and effects of thinning of mixed and pure plantations with native trees in humid tropical Costa Rica
D. Piotto (Sao Paulo, Brazil), F. Montagnini (New Haven, CT, USA), L. Ugalde and M. Kanninen (Turrialba, Costa Rica) 427
A review of the long-term effects of post-harvest silviculture on vertebrate wildlife, and predictive models, with an emphasis on boreal forests in Ontario, Canada
I.D. Thompson, J.A. Baker and M. Ter-Mikaelian (Sault Ste. Marie, Canada) 441
Effects of lime, fertilizer, and herbicide on forest soil and soil solution chemistry, hardwood regeneration, and hardwood growth following shelterwood harvest
A.M. Schreffler and W.E. Sharpe (University Park, PA, USA) 471
Predicted change in soil carbon following afforestation or reforestation, and analysis of controlling factors by linking a C accounting model (CAMFor) to models of forest growth (3PG), litter decomposition (GENDEC) and soil C turnover (RothC)
K.I. Paul, P.J. Polglase (Kingston, Australia) and G.P. Richards (Canberra, Australia) 485
The acceleration of succession for the restoration of the mixed-broadleaved Korean pine forests in Northeast China
X. Chen, B.-L. Li (Riverside, CA, USA) and Z.-S. Lin (Nanjing, PR China) 503
Non-native plant invasions in managed and protected ponderosa pine/Douglas-fir forests of the Colorado Front Range
P.J. Fornwalt, M.R. Kaufmann, L.S. Huckaby, J.M. Stoker and T.J. Stohlgren (Fort Collins, CO, USA) 515
The early impact of adjacent clearcutting and forest fire on riparian zone vegetation in northwestern Ontario
E.G. Lamb, A.U. Mallik and R.W. Mackereth (Thunder Bay, Canada) 529

Seasonal changes in soil phosphorus and associated microbial properties under adjacent grassland and forest in New Zealand
C.R. Chen (Canterbury, New Zealand and Nathan, Australia), L.M. Condron (Canterbury, New Zealand), M.R. Davis (Christchurch, New Zealand) and R.R. Sherlock (Canterbury, New Zealand) 539
Relationships between roosting habitat of bats and decay of aspen in the sub-boreal forests of British Columbia
S. Parsons, K.J. Lewis and J.M. Psyllakis (Prince George, Canada) 559
Factors limiting regeneration of *Quercus alba* and *Cornus florida* in formerly cultivated coastal plain sites, South Carolina
J.M. Riley Jr. and R.H. Jones (Blacksburg, VA, USA) 571

Short communications
No negative correlation between growth and resistance to multiple herbivory in a deciduous tree, *Betula pendula*
O.-P. Tikkanen (Joensuu, Finland), M. Rousi, T. Ylioja (Punkaharju, Finland) and H. Roininen (Joensuu, Finland) 587
Standardizing the calculation of the annual rate of deforestation
J.-P. Puyravaud (Pondicherry, India) 593

Publisher's Acknowledgement 597

Contents of *Forest Ecology and Management*, Volume 177 601